

2025 PRESSURE GAUGE & SPEC. SHEETS



**Liquid Filled
Stainless Steel Case
Range: 0-100#**



**Dry Gauge
Black Steel Case
Range: 0-100#**



**Liquid Filled
Stainless Steel Case
Range: 0-160#**

LIQUID FILLED / STAINLESS STEEL CASE / BRASS WORKS / POLYCARBONATE WINDOW



1 (Box) /
50 (Case)

1 (Box) /
20 (Case)

2-1/2" Ranges from: Vac to 600#

4" Ranges from: Vac to 600#

ITEM#	SIZE / DESCRIPTION	LIST	ITEM#	SIZE / DESCRIPTION	LIST
Q310269	Vacuum Filled Gauge	\$ 10.40	Q311266	Vacuum Filled Gauge	\$ 21.65
Q310283	Compound Vacuum Range: VAC - 30#	\$ 10.40	Q311341	Range: 0 - 30#	\$ 21.65
Q310337	Range: 0 - 15#	\$ 10.40	Q311358	Range: 0 - 60#	\$ 21.65
Q310344	Range: 0 - 30#	\$ 10.40	Q311365	Range: 0 - 100#	\$ 21.65
Q310351	Range: 0 - 60#	\$ 10.40	Q311372	Range: 0 - 160#	\$ 21.65
Q310368	Range: 0 - 100#	\$ 10.40	Q311389	Range: 0 - 200#	\$ 21.65
Q310375	Range: 0 - 160#	\$ 10.40	Q311396	Range: 0 - 300#	\$ 21.65
Q310382	Range: 0 - 200#	\$ 10.40	Q311402	Range: 0 - 400#	\$ 21.65
Q310399	Range: 0 - 300#	\$ 10.40	Q311419	Range: 0 - 600#	\$ 21.65
Q310405	Range: 0 - 400#	\$ 10.40			
Q310412	Range: 0 - 600#	\$ 10.40			



LIQUID FILLED / STAINLESS STEEL CASE / 1/4" NPT MALE LOWER CONNECTION

FEATURES:

- DIAL SIZE: 2-1/2", 4"
- CONNECTION: BRASS, 1/4" NPT MALE LOWER MOUNT
- FILLED: 99.5% GLYCERIN

QUALITY VALVE & SPRINKLER


APPLICATIONS:

- THE LIQUID FILLED GAUGES ARE DESIGNED FOR USE WITH GAS, OIL AND WATER OR ANY MEDIUM NOT CORROSIVE TO BRASS OR BRONZE.
- LIQUID FILLED GAUGE ARE SPECIALLY DESIGNED FOR REDUCING SHOCK CAUSED BY PRESSURE FLUCUATIONS OR VIBRATION.



PERFORMANCE CHART

ITEM#	DIAL	CONNECTION	RANGE	ITEM#	DIAL	CONNECTION	RANGE
Q310269	2-1/2"	1/4" LOWER	-30" Hg-0	Q311266	4"	1/4" LOWER	-30" Hg-0
Q310283	2-1/2"	1/4" LOWER	-30" Hg-0-30psi	Q311341	4"	1/4" LOWER	0 - 30psi
Q310337	2-1/2"	1/4" LOWER	0 - 15psi	Q311358	4"	1/4" LOWER	0 - 60psi
Q310344	2-1/2"	1/4" LOWER	0 - 30psi	Q311365	4"	1/4" LOWER	0 - 100psi
Q310351	2-1/2"	1/4" LOWER	0 - 60psi	Q311372	4"	1/4" LOWER	0 - 160psi
Q310368	2-1/2"	1/4" LOWER	0 - 100psi	Q311389	4"	1/4" LOWER	0 - 200psi
Q310375	2-1/2"	1/4" LOWER	0 - 160psi	Q311396	4"	1/4" LOWER	0 - 300psi
Q310382	2-1/2"	1/4" LOWER	0 - 200psi	Q311402	4"	1/4" LOWER	0 - 400psi
Q310399	2-1/2"	1/4" LOWER	0 - 300psi	Q311419	4"	1/4" LOWER	0 - 600psi
Q310405	2-1/2"	1/4" LOWER	0 - 400psi				
Q310412	2-1/2"	1/4" LOWER	0 - 600psi				



LIQUID FILLED / BLACK STEEL CASE / BRASS WORKS / POLYCARBONATE WINDOW



**2" Ranges from: Vac to 600#
 1 (Box) / 50 (Case)**

**2-1/2" Ranges from: 0# to 600#
 1 (Box) / 50 (Case)**

**4" Ranges from: Vac to 600#
 1 (Box) / 20 (Case)**

ITEM#	SIZE	LIST	ITEM#	SIZE	LIST	ITEM#	SIZE	LIST
Q303551	Vacuum Filled Gauge	\$ 7.49	Q303728	Range: 0 - 15#	\$ 8.31	Q303872	Range: 0 - 15#	\$ 19.15
Q303575	Range: 0 - 15#	\$ 7.49	Q303735	Range: 0 - 30#	\$ 8.31	Q303889	Range: 0 - 30#	\$ 19.15
Q303582	Range: 0 - 30#	\$ 7.49	Q303742	Range: 0 - 60#	\$ 8.31	Q303896	Range: 0 - 60#	\$ 19.15
Q303599	Range: 0 - 60#	\$ 7.49	Q303759	Range: 0 - 100#	\$ 8.31	Q303902	Range: 0 - 100#	\$ 19.15
Q303605	Range: 0 - 100#	\$ 7.49	Q303766	Range: 0 - 160#	\$ 8.31	Q303919	Range: 0 - 160#	\$ 19.15
Q303612	Range: 0 - 160#	\$ 7.49	Q303773	Range: 0 - 200#	\$ 8.31	Q303926	Range: 0 - 200#	\$ 19.15
Q303629	Range: 0 - 200#	\$ 7.49	Q303780	Range: 0 - 300#	\$ 8.31	Q303933	Range: 0 - 300#	\$ 19.15
Q303636	Range: 0 - 300#	\$ 7.49	Q303797	Range: 0 - 400#	\$ 8.31	Q303940	Range: 0 - 400#	\$ 19.15
Q303643	Range: 0 - 400#	\$ 7.49	Q303803	Range: 0 - 600#	\$ 8.31	Q303957	Range: 0 - 600#	\$ 19.15
Q303650	Range: 0 - 600#	\$ 7.49						



LIQUID FILLED / BLACK STEEL CASE / 1/4" NPT MALE LOWER CONNECTION

FEATURES:

- DIAL SIZE: 2", 2-1/2", 4"
- CONNECTION: BRASS, 1/4" NPT MALE LOWER MOUNT
- FILLED: 99.5% GLYCERIN

QUALITY VALVE & SPRINKLER

APPLICATIONS:

- THE LIQUID FILLED GAUGES ARE DESIGNED FOR USE WITH GAS, OIL AND WATER OR ANY MEDIUM NOT CORROSIVE TO BRASS OR BRONZE.
- LIQUID FILLED GAUGE ARE SPECIALLY DESIGNED FOR REDUCING SHOCK CAUSED BY PRESSURE FLUCUATIONS OR VIBRATION.



PERFORMANCE CHART

ITEM#	DIAL	CONNECTION	RANGE	ITEM#	DIAL	CONNECTION	RANGE
Q303551	2"	1/4" LOWER	-30" Hg-0	Q303766	2-1/2"	1/4" LOWER	0 - 160psi
Q303568	2"	1/4" LOWER	-30" Hg-0-30psi	Q303773	2-1/2"	1/4" LOWER	0 - 200psi
Q303575	2"	1/4" LOWER	0 - 15psi	Q303780	2-1/2"	1/4" LOWER	0 - 300psi
Q303582	2"	1/4" LOWER	0 - 30psi	Q303797	2-1/2"	1/4" LOWER	0 - 400psi
Q303599	2"	1/4" LOWER	0 - 60psi	Q303803	2-1/2"	1/4" LOWER	0 - 600psi
Q303605	2"	1/4" LOWER	0 - 100psi	Q303872	4"	1/4" LOWER	0 - 15psi
Q303612	2"	1/4" LOWER	0 - 160psi	Q303889	4"	1/4" LOWER	0 - 30psi
Q303629	2"	1/4" LOWER	0 - 200psi	Q303896	4"	1/4" LOWER	0 - 60psi
Q303636	2"	1/4" LOWER	0 - 300psi	Q303902	4"	1/4" LOWER	0 - 100psi
Q303643	2"	1/4" LOWER	0 - 400psi	Q303919	4"	1/4" LOWER	0 - 160psi
Q303650	2"	1/4" LOWER	0 - 600psi	Q303926	4"	1/4" LOWER	0 - 200psi
Q303728	2-1/2"	1/4" LOWER	0 - 15psi	Q303933	4"	1/4" LOWER	0 - 300psi
Q303735	2-1/2"	1/4" LOWER	0 - 30psi	Q303940	4"	1/4" LOWER	0 - 400psi
Q303742	2-1/2"	1/4" LOWER	0 - 60psi	Q303957	4"	1/4" LOWER	0 - 600psi
Q303759	2-1/2"	1/4" LOWER	0 - 100psi				

DRY GAUGE / BLACK STEEL CASE / BRASS WORKS / POLYCARBONATE WINDOW



**2" Ranges from: 0 to 200#
 1/4" Back Connection
 1(Box) / 100 (Case)**

**2" Ranges from: 0 to 200#
 1/4" Lower Connection
 1(Box) / 100 (Case)**

**2-1/2" Ranges from: Vac to 400#
 1/4" Lower Connection
 1(Box) / 100 (Case)**

ITEM#	SIZE	LIST	ITEM#	SIZE	LIST	ITEM#	SIZE	LIST
Q301397	Range: 0 - 30#	\$ 4.15	Q301588	Range: 0 - 15#	\$ 4.15	Q302011	Vacuum Filled Gauge	\$ 4.98
Q301403	Range: 0 - 60#	\$ 4.15	Q301595	Range: 0 - 30#	\$ 4.15	Q302080	Range: 0 - 15#	\$ 4.98
Q301410	Range: 0 - 100#	\$ 4.15	Q301601	Range: 0 - 60#	\$ 4.15	Q302097	Range: 0 - 30#	\$ 4.98
Q301427	Range: 0 - 160#	\$ 4.15	Q301618	Range: 0 - 100#	\$ 4.15	Q302103	Range: 0 - 60#	\$ 4.98
Q301434	Range: 0 - 200#	\$ 4.15	Q301625	Range: 0 - 160#	\$ 4.15	Q302110	Range: 0 - 100#	\$ 4.98
			Q301632	Range: 0 - 200#	\$ 4.15	Q302127	Range: 0 - 160#	\$ 4.98
						Q302134	Range: 0 - 200#	\$ 4.98
						Q302141	Range: 0 - 300#	\$ 4.98
						Q302158	Range: 0 - 400#	\$ 4.98



DRY GAUGE / BLACK STEEL CASE / DIAL SIZE: 2", 2-1/2", 4"

FEATURES:

- DIAL SIZE: 2", 2-1/2"
- CONNECTION: BRASS, 1/4" NPT MALE LOWER MOUNT & CENTER BACK MOUNT
- WINDOW: GLASS

QUALITY VALVE & SPRINKLER

APPLICATIONS:

- THE DRY GAUGES ARE DESIGNED FOR USE WITH GAS, OIL AND WATER OR ANY MEDIUM NOT CORROSIVE TO BRASS OR BRONZE.



PERFORMANCE CHART

ITEM#	DIAL	CONNECTION	RANGE	ITEM#	DIAL	CONNECTION	RANGE
Q301397	2"	1/4" BACK	0 - 30psi	Q302011	2-1/2"	1/4" LOWER	-30" Hg-0
Q301403	2"	1/4" BACK	0 - 60psi	Q302080	2-1/2"	1/4" LOWER	0 - 15psi
Q301410	2"	1/4" BACK	0 - 100psi	Q302097	2-1/2"	1/4" LOWER	0 - 30psi
Q301427	2"	1/4" BACK	0 - 160psi	Q302103	2-1/2"	1/4" LOWER	0 - 60psi
Q301434	2"	1/4" BACK	0 - 200psi	Q302110	2-1/2"	1/4" LOWER	0 - 100psi
Q301588	2"	1/4" LOWER	0 - 100psi	Q302127	2-1/2"	1/4" LOWER	0 - 160psi
Q301595	2"	1/4" LOWER	0 - 160psi	Q302134	2-1/2"	1/4" LOWER	0 - 200psi
Q301601	2"	1/4" LOWER	0 - 60psi	Q302141	2-1/2"	1/4" LOWER	0 - 300psi
Q301618	2"	1/4" LOWER	0 - 100psi	Q302158	2-1/2"	1/4" LOWER	0 - 400psi
Q301625	2"	1/4" LOWER	0 - 160psi				
Q301632	2"	1/4" LOWER	0 - 200psi				



2025 PRESSURE GAUGE



E-mail Your Order to

northwestsales@bafischer.com or fax to 509-546-0595.

We will email / fax you a confirmation once we receive your order.

Purchase Order Information

Company Name & Store #:	_____	Phone #:	_____
Contact Name:	_____	Purchase #:	_____
Email Address:	_____	Ship Date:	_____

Terms & Conditions of Sale

All prices are subject to change without notice.

All shipments will be invoiced at the price in effect at time of shipment.

Cash Discount: 2% discount if paid by 15 days following the date of the invoice. Net 30 days after the date shown on the invoice; past due thereafter. Cash discount will not be allowed if paid by credit or debit card. Returned checks are subject to a \$50 fee.

Early Order Program: See EOP flyer for complete details. The entire catalog is eligible for EOP. Buy early and save.

Minimum Orders: There is no minimum order provision. However, there is a minimum billing of \$5.00 per invoice.

Freight: F.O.B. B.A. Fischer warehouse location, or drop shipped from factory. We can handle "will call" shipments. QVS products receive free freight on orders over \$1,300.00. Excluding wire--see wire price sheet for wire freight policy.

Past Due Invoice: All past due accounts will be charged a service fee of 1-1/2% per month on the past due balances of the account which is equal to an annual interest rate of 18%. Minimum charge: \$1.00.

Title to Goods: Goods described above shall remain in the possession of B.A. Fischer Sales Co., Inc. until paid for in full by purchaser. However, risk of loss shall vest in the purchaser at the delivery of the products to the carrier at the B.A. Fischer warehouse.

Warranty: The Manufacturer of the equipment offers a one (1) year warranty against defective parts and workmanship from the date of shipment. The dealer shall return the product by prepaid freight. The product will be reviewed by the Manufacturer and will be repaired or replaced. It will then be returned to the dealer with freight only allowed both ways. No other charges resulting from the defective product will be allowed.

Shortages & Returns: All claims of shortages must be made within 30 days of ship date. All shortage claims must be identified by the work order and customer purchase order number. Returns will not be accepted without first obtaining a "return authorization." All returns must be accompanied by the work order or invoice the item was originally billed on. Returns are subject to a 15% restocking fee. Special order items or materials become the sole property of the customer and cannot be returned for credit. All returns must be shipped freight prepaid unless otherwise specified. Direct all shortage claims or returns to B.A. Fischer Sales Co., Inc headquarters by calling 888-375-1411 or emailing Joel@bafischer.com or Tavia@bafischer.com

Cancellation of Orders: Cancellation request must be received at the factory prior to order shipment.